



ENS
Interactive

1300 020 293

SMART®



SMART Board® 7000 series

Our flagship interactive display with the most advanced collaboration features grounded in design research with teachers and students.

75" | 86"

Walk in and it turns on

Dual proximity sensors automatically power up the SMART Board 7000 when you walk in the room saving time.

As natural as writing on paper

HyPr Touch™ technology provides lag-free writing precision and automatically identifies pen color and eraser tool.

Easy input access and preview

See and switch input sources on the screen and easily connect computers and accessories to the front convenience panel.

1-YEAR

SMART Learning Suite
subscription included



Unparalleled Collaborative Experience

With 30 years of experience in education technology, SMART interactive displays are designed to support teaching approaches that affect learning outcomes.



Multiple students, tools and colors at the same time

Simultaneous Tool Differentiation frees multiple students to write, erase and move notes at the same time. **Pen ID™** recognition and **Object awareness™** detection automatically make pens write in different colors, fingers move and palms erase.



Write and save notes directly into applications

SMART Ink® software lets teachers write over videos and into **PDFs**, **Microsoft Office®** files and websites, then save notes in almost any file type. Automatically convert notes to text and access tools, such as spotlight, magnifier and screen shade.

Built to use. Built to last.

Durable and commercial-grade, SMART Board displays have received many safety, regulatory and environmental certifications, giving you peace of mind that they adhere to government or other regulatory requirements.

- | | |
|---|--|
|  4K 4K Ultra HD resolution |  ENERGY STAR® certification |
|  Accelerated Life Testing |  Conflict-free materials and sourcing |
|  LED rated for 50,000 hours |  Regulatory and environmental certifications* |
|  Fully heat-tempered, anti-glare glass |  3-year standard warranty** (1-year on pens) |
|  Silktouch™ frictionless surface | |


*See specification chart for detailed certifications.

**1- or 2-year extended options available. 5-year standard in UK.



SMART Remote Management lets you efficiently maintain, secure and support all your devices – including SMART Board displays with iQ.

Engage students. Empower teachers.

Together with  SMART Learning Suite software and iQ embedded computing options, SMART Board displays give teachers endless ways to quickly and easily create and deliver dynamic lessons.

SMART Learning Suite transforms static content into interactive lessons including collaborative workspaces, game-based activities and formative assessments – all in one ultimate education suite.



Desktop experience

Teachers can connect their Windows or Mac® computer and deliver interactive SMART Notebook® lessons at the display. Time-saving activity and assessment templates are easy to customize for all grades and subjects.



Online experience

Teachers can add game-based and collaborative activities to SMART Notebook, PDF and PowerPoint files, and send lessons to student devices to complete individual handouts or work together in collaborative workspaces.

iQ embedded computing puts everything teachers need to seamlessly transition lessons in one place at the touch of a finger – without extra hardware or apps.



Android™ experience

iQ provides teachers one-touch access to SMART Notebook lessons and collaboration tools including a whiteboard, web browser, apps library and native, wireless screen sharing.



Windows® experience

Give teachers access to Microsoft Office files and applications on a full Windows 10 Pro computer right at the display by adding an Intel® Compute Card to iQ.



Get the most out of your SMART solution

Your purchase is just the beginning. Our implementation services, professional development and technical support resources help educators learn to use their SMART solutions, hone their technology skills and improve student learning outcomes.



Education Consulting

SMART has a team of former educators dedicated to supporting implementation, as well as publications and research demonstrating improved outcomes.



Professional Development

SMART provides complimentary professional development plans, and online courses and webinars that cover both functional and pedagogical topics.



Technical Support

So much more than downloads and guides, SMART support has tons of training resources to get you started and a thriving community of educators to tap into.

Authorized reseller:

SMART Technologies



ENS
Interactive

ENS Interactive Pty Ltd

1300 020 293

sales@ensinteractive.com.au

www.ensinteractive.com.au



	7275	7375	7286	7386
SMART Learning Suite	1-year subscription	1-year subscription	1-year subscription	1-year subscription
IQ apps and features	SMART Notebook Player Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries	SMART Notebook Player Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries	SMART Notebook Player Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries	SMART Notebook Player Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries
Intel Compute Card with Windows 10 Pro	Upgrade option available	Included. Options available. See smarttech.com/iQ for details.	Upgrade option available	Included. Options available. See smarttech.com/iQ for details.
SMART Remote Management	Optional	Optional	Optional	Optional
DIS PLAY				
Screen size (diagonal)	75"	75"	86"	86"
Resolution	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)
Refresh rate	60 Hz	60 Hz	60 Hz	60 Hz
Aspect ratio	16:9	16:9	16:9	16:9
Back lighting	e-LED	e-LED	e-LED	e-LED
LED lifespan	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours
LCD quality	Grade A	Grade A	Grade A	Grade A
Contrast ratio	5000:1	5000:1	5000:1	5000:1
Brightness	360 cd/m²	360 cd/m²	360 cd/m²	360 cd/m²
Response time	8 ms	8 ms	8 ms	8 ms
Glass	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare
TOUCH AND DIGITAL INK				
Touch technology	HyPr Touch (based on InGlass™)	HyPr Touch (based on InGlass)	HyPr Touch (based on InGlass)	HyPr Touch (based on InGlass)
Simultaneous Tool Differentiation	✓	✓	✓	✓
Object awareness	✓	✓	✓	✓
Pen ID	✓	✓	✓	✓
SMART Ink	✓	✓	✓	✓
Silktouch	✓	✓	✓	✓
Simultaneous touch points	16 (10 touch, 4 pens, 2 eraser)	16 (10 touch, 4 pens, 2 eraser)	16 (10 touch, 4 pens, 2 eraser)	16 (10 touch, 4 pens, 2 eraser)
Tools included	4 pens (black, red, blue, green) 1 eraser	4 pens (black, red, blue, green) 1 eraser	4 pens (black, red, blue, green) 1 eraser	4 pens (black, red, blue, green) 1 eraser
Intelligent magnetic pen tray	✓	✓	✓	✓
IQ APPLIANCE				
Model	AM40	AM50	AM40	AM50
Operating system	Android 7.1 Nougat	Android 7.1 Nougat	Android 7.1 Nougat	Android 7.1 Nougat
Processor	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz
Memory	4 GB	4 GB	4 GB	4 GB
Storage	32 GB	32 GB	32 GB	32 GB
Wireless technology	Bluetooth 4.1 802.11A/B/G/N/Ac	Bluetooth 4.1 802.11A/B/G/N/Ac	Bluetooth 4.1 802.11A/B/G/N/Ac	Bluetooth 4.1 802.11A/B/G/N/Ac
Connectors	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet4	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet4	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet
CONNECTIVITY				
Wired	RJ45 (x2)	RJ45 (x2)	RJ45 (x2)	RJ45 (x2)
Wi-Fi	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)
Bluetooth	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)
INPUTS/ OUTPUTS				
Convenience panel	Power, volume, freeze frame, mute, USB-A (x2), USB-B (touch), HDMI in	Power, volume, freeze frame, mute, USB-A (x2), USB-B (touch), HDMI in	Power, volume, freeze frame, mute, USB-A (x2), USB-B (touch), HDMI in	Power, volume, freeze frame, mute, USB-A (x2), USB-B (touch), HDMI in
Video	HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA	HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA	HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA	HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA
Audio	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out	Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out
USB	Type-A (x3), Type-B (touch) (x4)	Type-A (x3), Type-B (touch) (x4)	Type-A (x3), Type-B (touch) (x4)	Type-A (x3), Type-B (touch) (x4)
Other	OPS slot, RS-232 in, RS-232 out	OPS slot, RS-232 in, RS-232 out	OPS slot, RS-232 in, RS-232 out	OPS slot, RS-232 in, RS-232 out
Speakers	10 W integrated speakers (x2)	10 W integrated speakers (x2)	10 W integrated speakers (x2)	10 W integrated speakers (x2)
POWER				
Power consumption (display only)	<2 W standby, 135 W normal	<2 W standby, 135 W normal	<2 W standby, 160 W normal	<2 W standby, 160 W normal
ENERGY STAR certified	✓	✓	✓	✓
Presence detection	Dual sensors	Dual sensors	Dual sensors	Dual sensors
INSTALLATION				
Dimensions	69" × 43 1/8" × 4 7/8" (175.4 cm × 109.5 cm × 12.4 cm)	69" × 43 1/8" × 4 7/8" (175.4 cm × 109.5 cm × 12.4 cm)	78 3/4" × 48 5/8" × 5 5/8" (200.1 cm × 123.5 cm × 14.2 cm)	78 3/4" × 48 5/8" × 5 5/8" (200.1 cm × 123.5 cm × 14.2 cm)
Weight	227 lb. (103 kg)	227 lb. (103 kg)	258 lb. (117 kg)	258 lb. (117 kg)
VESA mounting points	600 mm × 400 mm	600 mm × 400 mm	600 mm × 400 mm	600 mm × 400 mm
CERTIFICATIONS AND COMPLIANCE				
Regulatory certifications	EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA	EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA	EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA	EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA
Environmental compliance	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65	EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65
Full HDMI and USB compliance	✓	✓	✓	✓
Accelerated Life Testing	✓	✓	✓	✓
Conflict-free minerals and sourcing	✓	✓	✓	✓